




ELOQUENCE

ELOQUENCE



Persuasion



Stoic



Sonder



Quintessential



Elixir



Ethereal



Bucolic



Arcadian



Wherewithal




Gracious



Sonnet



Brood



Elysian



Nirvana



Matriarch



Wistful



Epoch

ELOQUENCE



Serendipity




Seductress



Radiance




Fetching



Opulent



Sublime



Lumen



Gregarious



Always order samples as screen and printed colors may not be an exact representative.

1 (800) 424-2477
garproducts.com
service@garproducts.com

ELOQUENCE



APPLICATIONS

Contract, Hospitality, Residential Upholstery

GENERAL PRODUCT INFORMATION

Country of Origin	China
HTS Code	5407.52.2060
Roll Size	50-60 Yards/Roll

GENERAL SPECIFICATIONS

Surface Composition	100% Polyester
Backing Composition	SBR
Weight	15.6 oz. Per Linear Yard
	345 gsm
Width	54"
Direction	Non-Directional
Weave Construction	Dobby
Dyeing Type	Piece Dyed
Fiber Composition (Synthetic/Natural)	100% Synthetic
Fiber Type (Filament/Spun/Staple)	100% Filament
High Tenacity Yarn	No
Textured Yarn	Yes
Yarns Per Inch	88.9 EPI / 68.0 PPI
Yarns Per Centimeter	Warp: 35 / Fill: 26.8
Yarn Size	Warp: 400D / Fill: 400D
Yarns Twisted 472 Turns+/Meter	No

PERFORMANCE SPECIFICATIONS

Abrasion Resistance	100,000+ Double Rubs	ASTM D4157-13
Breaking Strength	Warp: 334 / Fill: 109	ASTM D5034-09(2013)
Brush Pill	Class 5.0	ASTM D3511
Colorfastness to Light	Class 4.5 / 40 Hours	AATCC 16.3-2012, Opt. 3
Crocking Resistance	Dry 4.5 / Wet: 5.0	AATCC 8-2013
Stain Resistance	Yes, PFAS-free	
Seam Slippage	Warp: 96.7 / Fill: 120.6	ASTM D4034-92
Tear Strength: Tongue Tear	Warp: 28.0 / Fill: 12.7	ASTM D2261-13

FLAMMABILITY SPECIFICATIONS

California TB 117:13	Pass
UFAC Class I	Pass
NFPA 260	Pass



Always order samples as screen and printed colors may not be an exact representative.

1 (800) 424-2477
garproducts.com
servce@garprducts.com

ELOQUENCE



CARE AND CLEANING

This fabric has an SW cleaning code. Prompt cleaning is always recommended. Cleaning steps are listed by type of stain.

REGULAR CLEANING AND MAINTENANCE

Regular vacuuming is recommended. Spot clean the soiled area with mild soap and water, then rinse with fresh water and pat dry with a lint-free cloth.

FOOD STAINS & OILS

Wipe the affected area with a soft cloth or sponge using a 1:10 solution of dish soap and water. For stubborn stains follow up with a mild solution of Oxi-Clean™. Rinse with fresh water and pat dry with a lint-free cloth.

DIFFICULT STAINS

Wipe the affected area with a soft cloth or sponge using a 1:10 solution of dish soap and water. For stubborn stains follow up with a mild solution of Oxi-Clean™. Rinse with fresh water and pat dry with a lint-free cloth.



Always order samples as screen and printed colors may not be an exact representative.

1 (800) 424-2477
garproducts.com
service@garproducts.com