



MODENA

MODENA



Auster



Quiet Sand



Farro



Elephant



Graphite



Pearl



Champagne



Walnut



Cocoa



Black



Medallion



Fresh



Seagrass



River Moss



Deep River



Manadrin



Tandoori



Cognac



Nutmeg



Espresso

MODENA



Sanctuary




Azure



Bluebird



Cypress



Ink




Stonekeep




Erie



Titan



Slate




Navy




Sidewalk



Mountain Pass



Cerulean



Emerald



Haze



Hearthwood



Bohemian



Auburn



Twilight

APPLICATIONS

Education, Healthcare, Contract, Hospitality, Indoor Residential Upholstery

GENERAL PRODUCT INFORMATION

Weight	26 oz. Per Linear Yard
Width	54"
Roll Size	30 Yards/Roll

GENERAL SPECIFICATIONS

Top Coat	PERMABLOK[®] ADVANCED VINYL PROTECTION PLUS+
Surface Composition	100% PVC
Backing	Hi-Loft ² ™
Backing Composition	100% Polyester

PERFORMANCE SPECIFICATIONS

Abrasion Resistance	100,000+ Wyzenbeek	ASTM D4157 / CFFA-1a
Tensile Strength	Warp: 121 / Fill: 72	ASTM D751 / CFFA-17
Stretch Test	Warp: 7.3 / Fill: 61	SAE J855 / CFFA-15
Tear Strength	Warp: 5.6 / Fill: 5.9	ASTM D751 / CFFA-16b
Seam Strength	Warp: 46 / Fill: 35	ASTM D751
Elongation At Break	Warp: 67 / Fill: 159	ASTM D751 / CFFA-17
Set Test	Warp: 3.5 / Fill: 17.3	SAE J855 / CFFA-15
Stitching Strength	Warp: 12 / Fill: 8.6	DIN 54301
Adhesion Test	Warp: 3.3 / Fill: 3.3	ASTM D751 / CFFA-3
Crocking Resistant	Wet: 4 / Dry: 4	CFFA - 7
UV stability	1,000 hrs.	AATCC TM 16-3 / NTC 1479 / CFFA-2 a1
Cold Crack	-10°F	CFFA-6a
Volatility Test	8	
Blocking	No.1-No blocking; No adhesion	CFFA-4

CHARACTERISTICS

Denim Dye Resistance	Yes
Sulfide Stain Resistance	Yes
No Flame Retardants	Yes
Prop 65 Compliant	Yes
Beach Cleanable (1:9)	Yes

FLAMMABILITY SPECIFICATIONS

California TB 117:13	Pass
UFAC Class I	Pass
NFPA 260 Class 1	Pass



Always order samples as screen and printed colors may not be an exact representative.

1 (800) 424-2477
garproducts.com
servce@garprducts.com

CARE AND CLEANING

Clean within 24 hours to avoid permanent stains in the surface. After this time has elapsed, effectiveness drops to 50%.

MAINTENANCE CLEANING TO PREVENT PERMANENT STAINS

We recommend cleaning at least once a week to extend the lifespan of the upholstery, preventing dirt and contamination from building up and stains from becoming permanent. If there is a spill, wipe off any excess right away with a dry white cloth or fabric, but don't spread it all over the surface.

Clean the whole surface in circular motions using liquid hand soap (pH neutral) and water (1 part soap to 9 parts water). Check the guide for recommended cleaning products. Wipe with a clean damp cloth to get rid of any excess soap. Repeat as needed and then let dry.

If there is any build-up that can't be removed with soapy water, use as a last resort the following mixture: 1 part isopropyl alcohol to 9 parts water. (Remember, using alcohol on a regular basis can affect the properties of the product). Once a month, you can use a soft-bristle brush for a deeper cleaning. Remember, light colours need more care, more often.

THINGS TO AVOID

- Solvents like paint thinner, Varsol, acetone, whiteners, waxes, silicones or detergents and/or cleaning products that are not pH neutral.
- Products that are more than 10% alcohol.
- Don't make marks on the product with pens or markers, it may absorb the ink and stain permanently.
- Cleaning tools like plastic or wire sponges, or hard-bristle brushes that can damage the material permanently.

THINGS TO REMEMBER

It is important to note that this guide on its own is not a warranty. It has recommendations for properly using and cleaning this product. Users are responsible for using and cleaning the coated fabrics safely with products that don't affect the surface, composition or, as a result, their performance and lifespan.

Cleaning results may vary depending on the size of the stain, cleaning product used and time the surface is exposed.

This product does not transfer onto other materials, but some clothing items (like jeans, microfibers and dark fabrics) could transfer their colour to this coated fabric, depending on how they are dry-cleaned. This happens more with dampness and higher temperatures and is irreversible.

We are not responsible for any damages caused in this manner.



Always order samples as screen and printed colors may not be an exact representative.

1 (800) 424-2477
garproducts.com
servce@garprducts.com